

# CRUISER FP 40

High speed marine (fisheries) diesel engine oil

## Description

**CRUISER FP 40** is specifically designed for high speed marine diesel engines. It is formulated from high quality base stock and additives such as detergent-dispersant, antioxidant, antiwear, and antifoam

## Application

**CRUISER FP 40** is recommended for lubrication of high speed marine diesel engines including supercharged or turbocharged applications.

## Specification Meets

**CRUISER FP 40** meets the requirement of API service CF standards.

## Advantages

- ▶ Good thermal and oxidation stability
- ▶ Excellent detergency and dispersancy properties
- ▶ Sludge, varnish, and carbon deposits eliminations
- ▶ Excellent antiwear and anticorrosion properties
- ▶ Excellent antioxidant, antirust, and antifoaming properties
- ▶ Good rust and corrosion protection

## Typical Data of CRUISER FP 40

Characteristics	Unit	CRUISER FP 40	
Color		L 2.5	ASTM D 1500
Density @ 15 °C	kg/L	0.8931	ASTM D 4052
Kinematic Viscosity @ 40 °C	cSt	150.78	ASTM D 445
Kinematic Viscosity @ 100 °C		15.25	
Viscosity Index		102	ASTM D 2270
Flash Point (COC)	°C	250	ASTM D 92
Pour Point	°C	-12	ASTM D 97
Total Base Number	mg KOH/g	10.5	ASTM D 2896

\* the typical characteristic mentioned represent mean values